



# Pole Pad Installation Guide

EST.  1990 **ATHLETIC EQUIPMENT**

Please contact customer service if you have any questions  
[sales@akathletics.com](mailto:sales@akathletics.com)



There is no standard sizing for poles, columns and i-beams. It is important to measure to obtain sizing before purchasing any protective padding.

When purchasing a pad, order the size of the pole.

## Round Poles



1. Peel back the velcro flap to break the hook and loop connection.
2. Place the pad around the pole.
3. Connect the velcro hook and loop together. If wrinkles develop in padding, try reconnecting the velcro flap. The flap could be pulled too tightly.

## Square Columns




The inside of the pad is the smaller width portion with velcro sewn.

Wrap the column and secure the pad with velcro hook and loop flap. If the flap is pulled too tightly wrinkles will develop in the vinyl covering.

*Optional:* The adhesive velcro provides extra support and allows the pad to be lifted off the ground.

Loosely wrap the pad around the column. Peel back the white plastic to expose the adhesive velcro. Firmly press the adhesive velcro at the top and bottom of the column. Close the pad with the velcro flap running top to bottom. Wait 24 hours before removing the pad.

## I-Beams



1. Wrap the pad around the face of the i-beam.
2. *Optional:* The adhesive velcro provides extra support and allows the pad to be lifted off the ground.
3. Peel back the white plastic to expose the adhesive velcro and firmly press the adhesive to the beam. Wait 24 hours before removing the pad.